



SAFETY DATA SHEET

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

1.1 Product identifier

Product name LIQUID NITROGEN
Synonym(s) NITROGEN (LIQUEFIED)

1.2 Uses and uses advised against

Use(s) CRYOGEN • FREEZING APPLICATIONS • HEAT TRANSFER MEDIUM • INERT GAS • LOW TEMPERATURE APPLICATIONS • PURGING

1.3 Details of the supplier of the product

Supplier name EFTECH INTERNATIONAL PTY LTD (AUSTRALIA)
Address 5 Orion Road, Jandakot, WA, 6164 (AUSTRALIA)
Telephone +61 (0)8 6323 8070

1.4 Emergency telephone number(s)

Emergency 1800 653 572 (24/7) (Australia only)

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

CLASSIFIED AS HAZARDOUS ACCORDING TO AUSTRALIAN WHS REGULATIONS

GHS classification(s) Gases Under Pressure: Refrigerated liquefied gas

2.2 Label elements

Signal word WARNING

Pictogram(s)



Hazard statement(s)

H281 Contains refrigerated gas; may cause cryogenic burns or injury.

Prevention statement(s)

P282 Wear cold insulating gloves/face shield/eye protection.

Response statement(s)

P315 Get immediate medical advice/attention.
P336 Thaw frosted parts with lukewarm water. Do not rub affected area.

Storage statement(s)

P403 Store in a well-ventilated place.

Disposal statement(s)

None allocated.

2.3 Other hazards

Asphyxiant. Effects are proportional to oxygen displacement.

3. COMPOSITION/ INFORMATION ON INGREDIENTS

3.1 Substances / Mixtures

Ingredient	CAS Number	EC Number	Content (v/v)
NITROGEN	7727-37-9	231-783-9	>99.9%

4. FIRST AID MEASURES

4.1 Description of first aid measures

Eye	Cold burns: Immediately flush with tepid water or with sterile saline solution. Hold eyelids apart and irrigate for 15 minutes. Seek medical attention.
Inhalation	If inhaled, remove from contaminated area. To protect rescuer, use an Air-line respirator or Self Contained Breathing Apparatus (SCBA). Apply artificial respiration if not breathing. Give oxygen if available. For advice, contact a Poison Information Centre on 13 11 26 (Australia Wide) or a doctor.
Skin	Cold burns: Remove contaminated clothing and gently flush affected areas with warm water (30°C) for 15 minutes. Apply sterile dressing and treat as for a thermal burn. For large burns, immerse in warm water for 15 minutes. DO NOT apply any form of direct heat. Seek immediate medical attention.
Ingestion	Due to product form and application, ingestion is considered unlikely.
First aid facilities	Eye wash facilities and safety shower should be available.

4.2 Most important symptoms and effects, both acute and delayed

In high concentrations may cause asphyxiation. Direct contact with the liquefied material or escaping compressed gas may cause frostbite injury.

4.3 Immediate medical attention and special treatment needed

Treat symptomatically.

5. FIRE FIGHTING MEASURES

5.1 Extinguishing media

Use water fog to cool containers from protected area.

5.2 Special hazards arising from the substance or mixture

Nonflammable.

5.3 Advice for firefighters

Temperatures in a fire may cause cylinders to rupture. Cool cylinders or containers exposed to fire by applying water from a protected location. Remove cool cylinders from the path of the fire. Evacuate the area if unable to keep cylinders cool. Do not approach cylinders or containers suspected of being hot.

5.4 Hazchem code

2T

2 Fine Water Spray.

T Wear full fire kit and breathing apparatus. Dilute spill and run-off.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

If the cylinder is leaking, evacuate area of personnel. Inform manufacturer/supplier of leak. Use Personal Protective Equipment (PPE) as detailed in Section 8 of the SDS. Ventilate area where possible and eliminate ignition sources.

6.2 Environmental precautions

Prevent from entering sewers, basements and work pits, or any place where its accumulation can be dangerous.

6.3 Methods of cleaning up

Stop the flow of material, if this is without risk. If the leak is irreparable, move the cylinder to a safe and well-ventilated area, and allow to discharge. Keep area evacuated and free from ignition sources until any leaked or spilled liquid has evaporated.

6.4 Reference to other sections

See Sections 8 and 13 for exposure controls and disposal.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Before use carefully read the product label. Use of safe work practices are recommended to avoid eye or skin contact and inhalation. Observe good personal hygiene, including washing hands before eating. Prohibit eating, drinking and smoking in contaminated areas.

7.2 Conditions for safe storage, including any incompatibilities

Portable liquid container should be stored below 45°C in a secure area and upright to prevent from falling. Portable liquid containers should also be stored in a dry, well ventilated area constructed of non-combustible material with firm level floor (preferably concrete), away from areas of heavy traffic and emergency exits.

7.3 Specific end use(s)

No information provided.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Control parameters

Exposure standards

Ingredient	Reference	TWA		STEL	
		ppm	mg/m ³	ppm	mg/m ³
Nitrogen	SWA (AUS)	Asphyxiant			

Biological limits

No biological limit values have been entered for this product.

8.2 Exposure controls

Engineering controls Avoid inhalation. Use in well ventilated areas. Where an inhalation risk exists, mechanical explosion proof extraction ventilation is recommended.

PPE

Eye / Face	Wear safety glasses.
Hands	Wear leather or insulated gloves.
Body	Wear coveralls.
Respiratory	Where an inhalation risk exists, wear Self Contained Breathing Apparatus (SCBA) or an Air-line respirator.



9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance	Colourless Liquid
Odour	Odourless
Flammability	NON-FLAMMABLE
Flash point	NOT RELEVANT
Boiling Point	-195.8 °C
Melting point	NOT AVAILABLE
Evaporation rate	NOT APPLICABLE
pH	NOT APPLICABLE
Vapour density	NOT AVAILABLE
Specific gravity	NOT APPLICABLE
Solubility (water)	0.0149 cm ³ gas/cm ³
Vapour pressure	NOT AVAILABLE
Upper explosion limit	NOT RELEVANT
Lower explosion limit	NOT RELEVANT
Partition coefficient	NOT AVAILABLE
Autoignition temperature	NOT AVAILABLE
Decomposition temperature	NOT AVAILABLE
Viscosity	NOT AVAILABLE
Explosive properties	NOT AVAILABLE
Oxidising properties	NOT AVAILABLE
Odour threshold	NOT AVAILABLE

9.2 Other information

Critical temperature	-146.9°C
Critical pressure	3400 kPa
% Volatiles	100 %

10. STABILITY AND REACTIVITY

10.1 Reactivity

Carefully review all information provided in sections 10.2 to 10.6.

10.2 Chemical stability

Stable under recommended conditions of storage.

10.3 Possibility of hazardous reactions

Polymerization will not occur.

10.4 Conditions to avoid

Avoid heat, sparks, open flames and other ignition sources.

10.5 Incompatible materials

Compatible with most commonly used materials.

10.6 Hazardous decomposition products

May evolve toxic gases if heated to decomposition.

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity	Based on available data, the classification criteria are not met.
Skin	Not classified as a skin irritant. Contact with the liquefied material or escaping compressed gas may cause frostbite injury.
Eye	Not classified as irritating to the eyes. Contact with the liquefied material or escaping compressed gas may cause frostbite injury.
Sensitization	Not classified as causing skin or respiratory sensitization.
Mutagenicity	Not classified as a mutagen.
Carcinogenicity	Not classified as a carcinogen.
Reproductive	Not classified as a reproductive toxin.
STOT – single exposure	Asphyxiant. Effects are proportional to oxygen displacement. Over exposure may result in dizziness, drowsiness, weakness, fatigue, breathing difficulties and unconsciousness.
STOT – repeated exposure	Not classified as causing organ effects from repeated exposure.
Aspiration	Not classified as causing aspiration.

12. ECOLOGICAL INFORMATION

12.1 Toxicity

No information provided.

12.2 Persistence and degradability

No information provided.

12.3 Bio accumulative potential

No information provided.

PRODUCT NAME: LIQUID NITROGEN**12.4 Mobility in soil**

No information provided.

12.5 Other adverse effects

No ecological damage caused by this product. Nitrogen is the major component of the atmosphere (78 % v/v). It is a fairly unreactive gas and will not contribute to ozone depletion or global warming. If released to soil or water, nitrogen will quickly disperse to the atmosphere. Not toxic to plants or animals except at extremely high (asphyxiating) levels.

13. DISPOSAL CONSIDERATIONS**13.1 Waste treatment methods**

Waste disposal Cylinders should be returned to the manufacturer or supplier for disposal of contents.

Legislation Dispose of in accordance with relevant local legislation.

14. TRANSPORT INFORMATION

CLASSIFIED AS A DANGEROUS GOOD BY THE CRITERIA OF THE ADG CODE



	LAND TRANSPORT (ADG)	SEA TRANSPORT (IMDG / IMO)	AIR TRANSPORT (IATA / ICAO)
14.1 UN Number	1977	1977	1977
14.2 Proper Shipping Name	NITROGEN, REFRIGERATED LIQUID	NITROGEN, REFRIGERATED LIQUID	NITROGEN, REFRIGERATED LIQUID
14.3 Transport hazard class	2.2	2.2	2.2
14.4 Packing Group	None Allocated	None Allocated	None Allocated

14.5 Environmental hazards No information provided

14.6 Special precautions for user

Hazchem code	2T
GTEPG	2C3
EMS	F-C, S-V
Other Information	Transport on open top vehicles in accordance with local legislation

15. REGULATORY INFORMATION**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

Poison schedule	A poison schedule number has not been allocated to this product using the criteria in the Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP).
Classifications	Safe work Australia criteria is based on the Globally Harmonized System (GHS) of Classification and Labelling of Chemicals. The classifications and phrases listed below are based on the Approved Criteria for Classifying Hazardous Substances [NOHSC: 1008(2004)].
Hazard codes	None allocated.
Risk phrases	None allocated.
Safety phrases	None allocated.
Inventory listing(s)	AUSTRALIA: AICS (Australian Inventory of Chemical Substances) All components are listed on AICS or are exempt.

16. OTHER INFORMATION

Additional information	<p>The storage of significant quantities of gas cylinders must comply with AS4332 the storage and handling of gases in cylinders.</p> <p>Application Method: Cryogenic applications reticulate liquid through insulated pipework to freezing and chilling equipment.</p> <p>PERSONAL PROTECTIVE EQUIPMENT GUIDELINES: The recommendation for protective equipment contained within this report is provided as a guide only. Factors such as method of application, working environment, quantity used, product concentration and the availability of engineering controls should be considered before final selection of personal protective equipment is made.</p> <p>HEALTH EFFECTS FROM EXPOSURE: It should be noted that the effects from exposure to this product will depend on several factors including: frequency and duration of use; quantity used; effectiveness of control measures; protective equipment used and method of application. Given that it is impractical to prepare a this report which would encompass all possible scenarios, it is anticipated that users will assess the risks and apply control methods where appropriate.</p>																																										
Abbreviations	<table border="0"> <tr><td>ACGIH</td><td>American Conference of Governmental Industrial Hygienists</td></tr> <tr><td>CAS #</td><td>Chemical Abstract Service number - used to uniquely identify chemical compounds</td></tr> <tr><td>CNS</td><td>Central Nervous System</td></tr> <tr><td>EC No.</td><td>EC No - European Community Number</td></tr> <tr><td>EMS</td><td>Emergency Schedules (Emergency Procedures for Ships Carrying Dangerous Goods)</td></tr> <tr><td>GHS</td><td>Globally Harmonized System</td></tr> <tr><td>GTEPG</td><td>Group Text Emergency Procedure Guide</td></tr> <tr><td>IARC</td><td>International Agency for Research on Cancer</td></tr> <tr><td>LC50</td><td>Lethal Concentration, 50% / Median Lethal Concentration</td></tr> <tr><td>LD50</td><td>Lethal Dose, 50% / Median Lethal Dose</td></tr> <tr><td>mg/m³</td><td>Milligrams per Cubic Metre</td></tr> <tr><td>OEL</td><td>Occupational Exposure Limit</td></tr> <tr><td>pH</td><td>relates to hydrogen ion concentration using a scale of 0 (high acidic) to 14 (highly alkaline).</td></tr> <tr><td>ppm</td><td>Parts Per Million</td></tr> <tr><td>STEL</td><td>Short-Term Exposure Limit</td></tr> <tr><td>STOT-RE</td><td>Specific target organ toxicity (repeated exposure)</td></tr> <tr><td>STOT-SE</td><td>Specific target organ toxicity (single exposure)</td></tr> <tr><td>SUSMP</td><td>Standard for the Uniform Scheduling of Medicines and Poisons</td></tr> <tr><td>SWA</td><td>Safe Work Australia</td></tr> <tr><td>TLV</td><td>Threshold Limit Value</td></tr> <tr><td>TWA</td><td>Time Weighted Average</td></tr> </table>	ACGIH	American Conference of Governmental Industrial Hygienists	CAS #	Chemical Abstract Service number - used to uniquely identify chemical compounds	CNS	Central Nervous System	EC No.	EC No - European Community Number	EMS	Emergency Schedules (Emergency Procedures for Ships Carrying Dangerous Goods)	GHS	Globally Harmonized System	GTEPG	Group Text Emergency Procedure Guide	IARC	International Agency for Research on Cancer	LC50	Lethal Concentration, 50% / Median Lethal Concentration	LD50	Lethal Dose, 50% / Median Lethal Dose	mg/m ³	Milligrams per Cubic Metre	OEL	Occupational Exposure Limit	pH	relates to hydrogen ion concentration using a scale of 0 (high acidic) to 14 (highly alkaline).	ppm	Parts Per Million	STEL	Short-Term Exposure Limit	STOT-RE	Specific target organ toxicity (repeated exposure)	STOT-SE	Specific target organ toxicity (single exposure)	SUSMP	Standard for the Uniform Scheduling of Medicines and Poisons	SWA	Safe Work Australia	TLV	Threshold Limit Value	TWA	Time Weighted Average
ACGIH	American Conference of Governmental Industrial Hygienists																																										
CAS #	Chemical Abstract Service number - used to uniquely identify chemical compounds																																										
CNS	Central Nervous System																																										
EC No.	EC No - European Community Number																																										
EMS	Emergency Schedules (Emergency Procedures for Ships Carrying Dangerous Goods)																																										
GHS	Globally Harmonized System																																										
GTEPG	Group Text Emergency Procedure Guide																																										
IARC	International Agency for Research on Cancer																																										
LC50	Lethal Concentration, 50% / Median Lethal Concentration																																										
LD50	Lethal Dose, 50% / Median Lethal Dose																																										
mg/m ³	Milligrams per Cubic Metre																																										
OEL	Occupational Exposure Limit																																										
pH	relates to hydrogen ion concentration using a scale of 0 (high acidic) to 14 (highly alkaline).																																										
ppm	Parts Per Million																																										
STEL	Short-Term Exposure Limit																																										
STOT-RE	Specific target organ toxicity (repeated exposure)																																										
STOT-SE	Specific target organ toxicity (single exposure)																																										
SUSMP	Standard for the Uniform Scheduling of Medicines and Poisons																																										
SWA	Safe Work Australia																																										
TLV	Threshold Limit Value																																										
TWA	Time Weighted Average																																										
Revision history	<table border="1"> <thead> <tr> <th>Revision</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>2.0</td> <td>Standard SDS Review</td> </tr> <tr> <td>1.0</td> <td>Initial SDS creation</td> </tr> </tbody> </table>	Revision	Description	2.0	Standard SDS Review	1.0	Initial SDS creation																																				
Revision	Description																																										
2.0	Standard SDS Review																																										
1.0	Initial SDS creation																																										
Report status	<p>This document has been compiled by RMT on behalf of the manufacturer, importer or supplier of the product and serves as their Safety Data Sheet ('SDS').</p> <p>It is based on information concerning the product which has been provided to RMT by the manufacturer, importer or supplier or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer, importer or supplier.</p> <p>While RMT has taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, RMT accepts no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS.</p>																																										

PRODUCT NAME: LIQUID NITROGEN

Prepared by

Risk Management Technologies
5 Ventnor Ave, West Perth
Western Australia 6005
Phone: +61 8 9322 1711
Fax: +61 8 9322 1794
Email: info@rmt.com.au
Web: www.rmt.com.au.

Revision: 2
SDS date: 11 March 2015

PRODUCT NAME: LIQUID NITROGEN